



Quick and Easy Web Maps with Google Fusion Tables

SCO Technical Paper

Version History Date Notes Author/Contact Version 1.0 July, 2011 Initial document created. Howard Veregin 1.1 Dec., 2011 Updated to reflect integration into Google Docs. John J Czaplewski New sections added: additional symbolization methods; using KML and Shapefiles; heat maps; and known problems. 1.2 Feb., 2014 Updated to reflect changes in the graphical David J Vogel interface and software features. New sections added: additional conversion methods for KML and Shapefiles; Google Maps Engine Lite summary.

This technical paper is obsolete, since Google Fusion Tables will be shut down on Dec 3, 2019. See *gsuiteupdates.googleblog.com/2018/12/google-fusion-tables-to-be-shut-down-on.html* for more information.

Introduction: What are Fusion Tables?

One of the quickest and easiest ways to produce simple maps for your Web site is to use Google's Fusion Tables. Fusion Tables is an online data management application designed for collaboration, visualization and publication of data.

Fusion tables allow you to:

- ✓ Upload and manage map data
- ✓ Map points, lines or areas
- ✓ Create pushpin, intensity, and other types of maps
- ✓ Create other types of visualizations (charts)
- ✓ Embed your visualizations in a Web site
- ✓ Share and collaborate with others

Fusion Tables does not require knowledge of JavaScript or CSS to make online maps. Some knowledge of HTML is useful for styling info boxes and adding more complex features. Fusion Tables maps have limited options and functionality compared to custom mapping applications, but they are far easier to build. Here are some simple use cases for Fusion Tables maps:

- ✓ A biogeographer creates a map of wolf sitings in Wisconsin, publishes the map to a Web site, and then updates the map as new sitings are made.
- ✓ A community maps the locations of available commercial properties and posts the map online to promote business development.
- ✓ A journalist creates a series of election maps for senate districts in the state and embeds the map in an online article.
- ✓ A non-profit organization creates maps of bicycle accident locations to raise awareness of bicycle safety.

For a general background on Fusion Tables see the app's help page:

✓ ✓ https://support.google.com/fusiontables

Google provides several useful tutorials on Fusion Tables to help you import, map and publish your data. For a full listing see:

✓ ✓ https://support.google.com/fusiontables/answer/184641

Some particularly useful tutorials are:

- ✓ Fusion Tables map basics (<u>https://support.google.com/fusiontables/answer/2527132</u>)
- ✓ Mapping your own data (<u>https://support.google.com/fusiontables/answer/181717</u>)
- ✓ Publishing and sharing maps (<u>https://support.google.com/fusiontables/answer/2562055</u>)

Enhancements to Fusion Tables are quite frequent, since Google classifies it as an "experimental app." New features are summarized here:

- ✓ ✓ <u>https://support.google.com/fusiontables/answer/1656859</u> and
- ✓ <a>https://support.google.com/fusiontables/answer/184641

Recent enhancements include:

- ✓ Collaborative data gathering
- ✓ Importing data from mobile devices
- ✓ Importing data from Web forms
- ✓ Making intensity maps and heatmaps
- ✓ Adding charts and street view images to maps
- ✓ Adding your own maps and GPS data
- ✓ Modifying default map symbols

There is also a Fusion Tables API to query, manage and update Fusion Tables data. See https://developers.google.com/fusiontables/ for more detail.

Objectives of this Technical Paper

This tutorial does not cover all of the enhancements and features of Fusion Tables. Rather it provides an overview of the base functionality of Fusion Tables for making simple Web maps. This tutorial shows you the basic steps for:

- ✓ Making a simple pushpin map from a spreadsheet
- ✓ Customizing icons
- ✓ Publishing this map to a Web site
- ✓ Uploading KML and Shapefiles

Getting Started: Creating a Simple Pushpin Map

To create a simple pushpin map you will need a source of point data, and for this tutorial we will start with a Microsoft Excel spreadsheet of Wisconsin populated places from GNIS (Geographic Names Information System). GNIS is the official repository of place names in the United States. The data was obtained from the *download* link at http://geonames.usgs.gov/domestic/index.html and saved to an Excel file. The data was then filtered to include only features with a class equal to "Populated Place." The data includes a place name, county name, latitude and longitude, and several other attributes. Populated places in GNIS include incorporated places (cities and villages) as well as unincorporated places. There are 2583 records in the GNIS dataset for Wisconsin (at time of download, August 2013).

The sample dataset (WI_gnis_ppls_V1.2.xlsx) is available for download at http://www.sco.wisc.edu/images/stories/download/fusion_tables_sample_data

	A	B	C	D	E	F	G	н	1	1	к	L.	M	N	0
1	d	name_place	fclass	name_state	num_state	name_cnty	num_cnty	lat_dms	long_dms	latitude	longitude	elev	name_map	date_created	date_edited
2	81	Abbotsford	Populated Place	WI	55	Clark	019	445647N	0901857W	44.94635600000	-90.31596900000		429 Abbotsford	8/29/1980	3/20/200
3	83	Abells Corners	Populated Place	WI	55	Walworth	127	424334N	0883233W	42.72612510000	-88.54260040000		268 Elkhorn	8/29/1980	
4	86	Abrams	Populated Place	WI	55	Oconto	083	444645N	0880335W	44.77915930000	-88.05982610000		207 Abrams	8/29/1980	
5	92	Ackerville	Populated Place	WI	55	Washington	131	431836N	0881529W	43.31000290000	-88.25815020000		320 Hartford East	8/29/1980	
6	97	Ada	Populated Place	WI	55	Sheboygan	117	435237N	0875344W	43.87693820000	-87.89564690000		272 School Hill	8/29/1980	
7	98	Adams	Populated Place	WI	55	Walworth	127	424802N	0883158W	42.80056840000	-88.53287780000		276 Little Prairie	8/29/1980	
8	99	Adams	Populated Place	WI	55	Adams	001	435722N	0894905W	43.95608200000	-89.81818180000		293 Adams	8/29/1980	3/20/20
9	100	Adams Beach	Populated Place	WI	55	Shawano	115	444110N	0884005W	44.68609300000	-88.66815710000		246 Embarrass	8/29/1980	
0	105	Addison	Populated Place	WI	55	Washington	131	432522N	0882228W	43.42277610000	-88.37454230000		320 Allenton	8/29/1980	
11	113	Adell	Populated Place	WI	55	Sheboygan	117	433709N	0875707W	43.61916330000	-87.95203640000		276 Random Lake	8/29/1980	3/20/20
12	115	Adella Beach	Populated Place	WI	55	Winnebago	139	440832N	0882742W	44.14220800000	-88.46177670000		229 Neenah	8/29/1980	
13	121	Advance	Populated Place	WI	55	Shawano	115	444716N	0881956W	44.78777050000	-88.33232420000		261 Krakow	8/29/1980	
14	126	i Afton	Populated Place	WI	55	Rock	105	423614N	0890416W	42.60390090000	-89.07122250000		232 Beloit	8/29/1980	
15	142	Alaska	Populated Place	WI	55	Kewaunee	061	443226N	0873004W	44.54055470000	-87.50119770000		220 Casco	8/29/1980	
16	143	Alban	Populated Place	W	55	Portage	097	443740N	0891705W	44.62775130000	-89.28483620000		348 Rosholt	8/29/1980	
17	144	Albany	Populated Place	WI	55	Green	045	424228N	0892613W	42.70778460000	-89.43706290000		247 Albany	8/29/1980	3/20/20
18	147	Albertville	Populated Place	WI	55	Chippewa	017	445736N	0913602W	44.95996080000	-91.60044330000		307 Albertville	8/29/1980	
19	148	Albion	Populated Place	WI	55	Dane	025	425246N	0890411W	42.87944880000	-89.06983460000		256 Rockdale	8/29/1980	
20	164	Alderley	Populated Place	WI	55	Dodge	027	431303N	0882659W	43.21750400000	-88.44982050000		290 Stonebank	8/29/1980	
21	177	Algoma	Populated Place	WI	55	Kewaunee	061	443632N	0872557W	44.60888840000	-87.43258910000		178 Algoma	8/29/1980	3/20/20
22	185	Allen	Populated Place	WI	55	Eau Claire	035	443941N	0912201W	44.66135050000	-91.36682440000		297 Brackett	8/29/1980	
23	198	Allens Grove	Populated Place	WI	55	Walworth	127	423449N	0884545W	42.58029260000	-88.76260520000		284 Clinton	8/29/1980	
24	199	Allenton	Populated Place	WI	55	Washington	131	432514N	0882027W	43.42055430000	-88.34093050000		291 Allenton	8/29/1980	
25	200	Allenville	Populated Place	WI	55	Winnebago	139	440759N	0883708W	44.13303900000	-88.61899980000		249 Oshkosh NE	8/29/1980	
26	208	Allouez	Populated Place	WI	55	Brown	009	442839N	0880058W	44.47749230000	-88.01621440000		182 De Pere	8/29/1980	3/20/20
27	205	Allouez	Populated Place	WI	55	Douglas	031	464119N	0920129W	46.68855090000	-92.02463450000		197 Superior	8/29/1980	
28	213	Alma	Populated Place	WI	55	Buffalo	011	441912N	0915454W	44.31996540000	-91.91488390000		207 Alma	8/29/1980	3/20/20
29	215	Alma Center	Populated Place	WI	55	Jackson	053	442614N	0905441W	44.43718390000	-90.91125800000		299 Alma Center	8/29/1980	3/20/20

Excel spreadsheet of GNIS populated places in Wisconsin

Fusion Tables accepts data in various formats, including Microsoft Excel files, OpenDocument Spreadsheets, delimited text files (such as .csv files), and KML files. For more information on supported file types see <u>https://support.google.com/fusiontables/bin/answer.py?hl=en&answer=171181</u>. There are size limits on most files and an overall quota of 250 MB per user.

To produce a map, Fusion Tables requires a field (or fields) that refers to the location of each feature. In the GNIS example, the latitude and longitude fields will be used. These fields are already in decimal degree format. If you have lat-long values that are not in decimal degree format, you will need to convert these to decimal degree format before importing into Fusion Tables.

Fusion Tables can also use an address field to locate data, and records will be automatically geocoded as the map is created. Likewise, Fusion Tables will recognize other location fields such as county names.

Fusion Tables is integrated into Google Drive (where Google docs are stored). Before importing the Excel file, you will have to use your Google account to login to Google Drive at <u>https://drive.google.com</u>. (You will need to create a Google account if you do not have one.)

Once logged in to Google Drive, click the *Create* button in the upper left portion of the window, and choose *Fusion Table (experimental)* from the drop down menu (see figure below). If you haven't used Fusion Tables before, click on *"Connect more apps"* at the bottom of the menu. Once the *"Connect apps to Drive"* window pops up, search for Fusion Tables and select *Connect*.

	Folder	~	Fusion Table (exper
	Document		
÷	Presentation		
m)	Spreadsheet		
	Form		
r	Drawing		

Creating a new Fusion Table

This will open a new tab in your browser, and you will be presented with the following window:

From this computer	Choose File wi_gnis_pplledata.xlsx
Google Spreadsheets	You can upload spreadsheets, delimited text files (.csv.,tsv, or .bd), and Keyhole Markup Language files (.kmi) <u>Learn more</u>
Create empty table	
	Or search public data tables
	्र ्र

Importing a new table in Fusion Tables

Navigate to your file using the *Choose File* button. Once your file has been selected click the *Next* button. Optionally, you can specify the row in which the column names are located (see figure below).

Column na	mes are in row	1 -						
1	id	None 1	fclass	state	state	county	count	lat_dms
2	2631380	2	Popul Place	WI	55	Brown	9	44310
3	1560663	4 5	Popul Place	WI	55	Clark	19	44564
4	1560665	6	Popul Place	WI	55	Walw	127	42433
5	1560668	8	Popul Place	WI	55	Oconto	83	44464
6	2513510	9 10 11 12	Popul Place	WI	55	Sheb	117	43444
Rows before	the header row wi	13						
New to F Take a pee	Fusion Table: k! <u>Play with a da</u>	14 15 16 17 18	<u>tutorial</u> .			Cancel	« Back	Next »

Configuring the import

Clicking *Next* again takes you to a form that lets you add some simple metadata. Hitting the *Finish* button begins the file import operation.

Once the file has been imported, choose *Edit* > *Change columns*. In the GNIS example, the *latitude* and *longitude* columns have been autodetected by Fusion Tables as a two-column *Location* field. (Note that *longitude* continues to be defined as a *Number*, but that it is paired with latitude which is defined as a *Location* field.)

name_place Text fclass Text state Text state Text state_fps Number county fins Number county fins Number	
fclass Text state Text state_fips Number county Text For Number Type	_
state Text state_fips Number county fies Number Type	
state_fips Number county Text County fins Number	
county Text Type	
county fips Number	
county_npo	
lat_dms Text	
long_dms Text 🖉 Two column location	
latitude	
longitude Number	
elev_meters Number Longitude v	
elev_ft Number Format	
map_name Text None \$	
date_created Date/Time	

Viewing and configuring columns in Fusion Tables

Since Fusion Tables autodetected the location fields correctly, there is no need to modify any field definitions. But if needed, you could add or change the location fields. If you do not have latitude or longitude, you could use address data. Fusion Tables will geocode the data when the map is first made. There are other attributes that can be adjusted from this box by using the *Type* and *Format* drop down menu. This will ensure your data is properly visualized once a map is made. You can rename the columns in the *Name* box from this menu as well.

Now you're ready to make a map. To do so, choose the *Map of latitude* tab for your imported datset. In our example, the resulting map window is shown below.



A simple pushpin map of GNIS populated places in Wisconsin

6

Next Steps: Customizing the Map

Your map can be customized in a few ways. For example, click on the *Map of Latitude > Change info window...* button and click the check boxes to select or deselect attributes for display.

Automatic	Custom	
Select the colun	nns to include in your map's info window.	
 ✓ id ✓ name_place ✓ fclass ✓ state ✓ state_fips ✓ county_fips ✓ county_fips ✓ lat_dms ✓ long_dms ✓ latitude longitude elev_meters elev_ft map_name date_created date_created 	<div class="googft-info-window/"> id:(d) </br></div>	

Configuring the information window for the map

Clicking on the *Custom* tab will allow you to modify the HTML code to change labels, text styles, colors, and so on.

<pre>window with column placeholders like (column name). Learn more <div olass="googft_info-window"> <brate_loci:< b=""> (name_place)<bra> <brate_loci:< b=""> (name_place)<bra> <brate_loci:< b=""> (class)<bra> <brate_loci:< b=""> (class)<bra> <brate_loci:< b=""> (state]<bra> <brate_loci:< bra=""> </brate_loci:<></bra></brate_loci:<></bra></brate_loci:<></bra></brate_loci:<></bra></brate_loci:<></bra></brate_loci:<></div></pre>	
<pre><div olass="googft-info-window"> id:/b> (dd) cb> name_place: (name_place) folass: (folass) </br></br></br></div></pre>	
<pre><bcounty:< p=""> (county)typs <bcounty_tips: bi=""> <block< pre=""> <block< br=""></block<> </block<></block<></block<></block<></block<></block<></bcounty_tips:></bcounty:<></pre>	
	<pre>cbslagidad.cbs toong_dad toon cbslagidad.cds </pre>

Customizing the information window

The information window below has been customized to show only selected columns of data.



Customized information window

The pushpin symbol can also be changed. To do this click on *Map of Latitude > Change feature styles...*

Marker icon	Map marker icons	
Polygons	Fixed Column Buckets	
Fill color Border color	Use one icon	
Border width	• •	
Line color Line vidth Legend Automatic legend	 small_yellow small_green small_blue small_purple small_red large_red large_yellow large_green large_blue large_purple 	

Customizing the pushpin symbol

In addition to these simple pushpin and dot icons, Fusion Tables supports other basic Google icons that can be found at <u>https://www.google.com/fusiontables/DataSource?dsrcid=308519</u>. You can click on the above link and zoom into the icon cluster to see what these icons look like.

To insert these icons into your map you will need to insert a new column into your imported table by selecting *Edit > Add column*. To keep things simple, give this new column a Column Name of *Icons* and accept the defaults for Type and Format (see below).

id	Number	Name
name_place	Text	
fclass	Text	icons
state	Text	Description
state_fips	Number	Icon names for point symbols.
county	Text	
county_fips	Number	Туре
at_dms	Text	Text 💠
ong_dms	Text	Format
atitude	Location	None 🜩
ongitude	Number	
elev_meters	Number	Data entry Learn more
elev_ft	Number	Validate data
map_name	Text	List of drop-down items
late_created	Date/Time	
date_edited	Date/Time	

Adding a new column

Now, switch to the *Rows 1* tab to view the tabular data you imported. Find the row in the table that you want to modify. For example, if you want to use a custom icon for Madison, find that row in the table. Note that to locate a specific row without having to scroll through your entire list, you can select the drop down menu from the *name_place* column heading and click *Find...*

Now double-click the cell you want to modify. This will be the cell corresponding to the *Madison* row and the *Icons* column. Enter *capital_big_highlight* in the *Icons* field in the dialog box. If the *Icons* field is left blank for a row, the symbol will default to the small red dot. Therefore, if a variety of icons are desired the *Icons* field needs to be filled out for every row.

Once an icon scheme is chosen, return to the map view. Click on the *Change feature styles*... button, click on the *Column* tab, click *Use icon specified in a column*, and select *Icons* as the column to use. When you save this, the point symbol for Madison will change.

This method works best when working with small datasets. If you wish to apply custom icons to larger datasets it is best to add a column and specify the names of icons for each row before importing your spreadsheet into Fusion Tables. Fusion Tables has also added the ability to merge tables to apply map symbols. In other words, you can create a look-up table with the map symbols defined for each category on your data, then merge this table with your data using a named icon column as in the above example. More details are provided on the Fusion Tables site at

https://support.google.com/fusiontables/answer/2476954.

Sharing and Publishing the Map

To share the map, click the *Share* button in the upper right of your map window. You can invite people to view or edit the map, and also specify the visibility. If the map is going to be shared on the Web or embedded in a Web site, it needs to be available with no sign-in required.

fus Shar	ontables/DataSource?docid=1TKHgYowk1xapBu e link via: 💌 🏹 🔽 💟	QUnzQmkRa0u01DjS8KNtdyTw
Who	has access	
0	Public on the web - Anyone on the Internet can find and view	Change
	You(owner)@gmail.com	Is owner
Ad	Id people;	

Specifying sharing options

	inty of	nions:
•	S	Public on the web Anyone on the Internet can find and access. No sign-in required.
	•	Anyone with the link Anyone who has the link can access. No sign-in required.
	â	Private Only people explicitly granted permission can access. Sign-in required.
cce	ss: A	unyone (no sign-in required) Can view

Specifying sharing options

Now that the sharing options have been specified, the map can be embedded in a website. To make sure the default view of the map is correct, you should set the map center and zoom level. The easiest way to do this is to zoom and center your maps as desired, then get an embeddable link by selecting *Tools > Publish*. Copy the HTML code from the small window that opens above the map. The code will look similar to the following:

<iframe width="500px" height="300px" scrolling="no" src="http://www.google.com/fusiontables/embedviz?viz=MAP&q=select+col0%2C+col1 %2C+col2%2C+col3%2C+col4%2C+col5%2C+col6%2C+col7%2C+col8%2C+col9%2C+col10 %2C+col11%2C+col12%2C+col13%2C+col14+from+1164973+&h=false&lat=44.71983445 &lng=-89.89321955&z=7&t=1&l=col9"></iframe>

Parameters highlighted in yellow are ones that you may want to modify when embedding the map in a Web site. The *width* and *height* parameters define the size of the map. The *lat* and *lng* parameters

define the center point of the map when it is first displayed, and the *z* parameter gives the zoom level. For this example, we will simply embed the HTML code into a standard Web page.



Embedding the map using an HTML editor

The resulting page might look something like this:



The embedded map

Working with KML and Shapefiles

Fusion Tables also has the ability to work with other types of geodata, such as KML and Shapefiles. With these types of files, users can import line and polygon data. You can upload a KML (.kml) file to Fusion Tables with no conversion required. This is especially useful if you're exporting from Google Earth. However, Fusion Tables cannot natively handle Shapefiles (.shp) so to import this format into Fusion Tables, a series of additional steps is required.

For this example we will work with a Shapefile of Wisconsin counties from the US Census Bureau. This Shapefile can be downloaded from <u>http://www.census.gov/cgi-bin/geo/shapefiles2010/main</u>. Under *Select a layer type* select *Counties (and equivalent)* and then chose *Wisconsin*. The shapefile will be downloaded in compressed ZIP format. The sample dataset (tl_2010_55_county10) is also available for download at <u>http://www.sco.wisc.edu/images/stories/download/fusion_tables_sample_data</u> in both compressed and uncompressed formats.

There are a number of different options for converting a Shapefile to KML. The first uses a combination of ArcMap and Google Earth to convert the file manually. The second method uses QGIS, an open source GIS program. If you don't have ArcMap and do not want to download the whole QGIS software package, the third option is a Website that allows you to drag and drop a zipped Shapefile into their converter and will output a KML file for you to download.

ArcGIS and Google Earth Conversion. To convert your Shapefile manually, add it as a layer in ArcMap. Next, open ArcToolbox, and select *Conversion Tools > To KML > Layer to KML*.



Converting to KML

A dialogue box will open. For the *Layer* field select your Shapefile, for the *Output File* select the target directory and a name for the exported file, and for *Layer Output Scale* simply type "1". Let all other fields default and select *OK* to run the script.

A box will pop up telling you the layer has successfully been converted to KML. Now open the target directory specified in the previous step and find your new file. Note that your exported file is actually a KMZ which cannot be read directly by Fusion Tables. To fix this, open the KMZ file in Google Earth. Select *File > Save > Save Place As* which will open a dialog box. Pick a new name for the file and under *Save as type* be sure to change it to KML. Save the file.

QGIS Conversion. This method is much simpler than the method used above and the attribute table of the Shapefile is also preserved. Open QGIS and click the *Add Vector Layer* button and then *Browse* and select your Shapefile and click *Open*. After your layer is added, right click on it in the Layers area on the left side of the screen and select *Save As*. Use the Format drop down menu to select Keyhole Markup Language (KML) and name your file. Once you've done this click *OK*. Once you see the message *Export to vector file has been completed* you are all done. Now you can import the KML file into Fusion Tables.

File Edit View Layer Settings Plugins Vietor Raster Database Help Edit View Layer Settings Plugins Vietor Raster Database Help Note: Settings Plugins Vietor Raster Vietor R	💋 Qu	antum	GIS 1.8	.0-Lisbo	a																•
	File	Edit	View	Layer	Settin	ngs F	lugins	Vector	Raster	Database	Help										
add Vector Laver	10	1		1	-	3	R	2	2	» 🧷	» £	∩ »	2	» []#	»	U	»	81/0 »	der »	NP.	3
Layers B/X			La	ers			8×	Add Vecto	or Layer												

Format	Keyhole Markup	Language [KN	1L]	
Save as	WisconsinCty_20	Browse		
Encoding	UTF-8			
CRS	Layer CRS			
	NAD83			Browse
OGR cre	ation options			
Data so	urce			
Data so	urce			
Data so	urce			
Data so Layer				
Data so Layer	attribute creation	t,		

Add Vector Layer button

Rename and Select KML in Format dropdown menu

Automated Conversion. This method utilizes the converter on the website

<u>http://www.mapsdata.co.uk/online-file-converter/</u>. To use this converter your Shapefile must be contained in a zipped folder. Once this is done, you can either drag the zipped folder into the box that says *Drop file or Click to browse* or click that same box to browse to the directory and select the zipped folder. After the conversion is complete you will automatically be prompted to save the new KML file in your downloads folder. After you've saved the KML file you can upload it into Fusion Tables.

maps data showca	se About Converter Blog 🕲 🖸 Sign In	
Online C	onverters	
Our free online converters let you batch geocode ZIP codes and UK postcodes, convert	GPX to KML, SHP to KML and KM2 to KML, convert UTM to lation, and much, much more	
We developed the technologies behind these converters for our own products and deci entries you can convert, aside from how much our servers can take, so enjoy! — And if v	ded to share them for others to use feely. There is currently no limit to the number of ve hatped, let us know on Twitter (Massdata or via eme l)	
Batch Geocoder & Converter	KML Converter	
Geocode and Convert Spatial Data	Convert your files to KML	
Convert to lat-lon by dragging and dropping your file. Instructions.	Convert Broel to KML, CSV to KML, SHP to KML, GPK to KML, MAZ to KML, or DXP to KML by depaying and depaying your file instructions.	
Convert US 20 codes, British postal codes, as well as degrees minutes and seconds, UTM, MGRS and BVG into decimal latitude & longitude. The system also	Drag and drop your file for quick klift, conversion	
recognizes 120,000 cities, 240 countiles 6 tentories, and the US states, in which Case the captar's coordinates are given	Our convertier aroundes free file conversion from Brail to KNA, CSV to KNA, SHP to KNA, GPH to KNA, KNA to KNA, and DIP to KNA.	
Drop excel/csv file or Click to browse	Direo file or Disk to brokse	
Follow us on Twitter Our YouT	ube Videos Try Mapsdata	

Drag and drop zipped file here or click to browse to zipped file

Now you can import the KML file into Fusion Tables. Begin by selecting *Create > FusionTable > Choose File*. After selecting your KML file, click *Next* and ensure that your columns names row is correctly identified, and then click *Next*. In this window you can rename your table if you desire and you can add any additional metadata. Once you satisfied click *Finish*. Now, to view your map, select the *Map of Geometry* tab.



Imported KML file based on Shapefile

As a final alternative, Google suggests using <u>http://www.shpescape.com</u> for converting and importing a zipped shapefile directly into Fusion Tables (<u>https://support.google.com/fusiontables/answer/2592829</u>).

Creating a Heatmap

Fusion Tables can also be used to create a heatmap. A heatmap shows the density of point observations in different colors, from cool to warm (hence the name "heatmap"). To make a heatmap in Fusion Tables, simply go to the *Map of latitude* tab, and choose *Change Map* from the *Tools* menu. A *Heatmap* entry will now appear in the left-hand panel. By clicking on this entry, you will be able to manipulate several parameters to create a custom heatmap.



Heat map showing the density of populated places in southeast Wisconsin

Known Problems

As Fusion Tables grows in complexity, the number of issues and bugs have also increased. See https://code.google.com/p/fusion-tables/ for a discussion of software bugs, issues and feature requests.

Google Maps Engine Lite (Beta)

A new, free and stripped-down version of the Google Maps Engine called Google Maps Engine Lite (Beta) was released in March 2013. It allows users more control over the map they are creating than allowed in maps created using Google Fusion Tables.

Google Maps Engine Lite offers the ability to draw directly on top of the basemap (create points, lines and polygons by hand) or import tabular data that has a geographic field of some sort (Latitude/Longitude or Addresses). The user also has the ability to add multiple layers to an individual map, which can be turned on and off at their discretion. Users have much more flexibility when it comes to different labeling and symbolization options as well. Each point, line or polygon can be styled individually or entire layers can be modified and styled at the same time. Google Maps Engine Lite offers different basemap options including the Google Maps standard basemap, satellite imagery, and a number of different neutral colored and gray scale maps.

While Google Maps Engine Lite offers more than Fusion Tables, there are a number of limitations as well. It can only handle CSV, Excel, My Map or Google Drive Spreadsheet files, so data stored in KML files or a Google Fusion Table are not currently supported. There is also a limit of 100 records for a given layer, which can be a major constraint depending on the size of the dataset you are working with. Maps Engine Lite is only for personal and non-commercial use. To learn more about the acceptable uses read the program policy at

http://www.google.com/enterprise/earthmaps/legal/us/gme_program_policies.html.

Resources

There are many more options available in Fusion Tables for management, display, and sharing of your data. In addition to the resources identified above, there is a help forum at

✓ ✓ https://groups.google.com/group/fusion-tables-users-group

Also be sure to read Google's privacy policy and terms of use at

✓ <u>https://www.google.com/fusiontables</u>